## Brammer Standard Company, Inc. Data Sheet for Setting-up Material

## **BS 02G**

## **AISI Grade 1045 Plain Carbon Steel**

**Estimated** 

**Estimated** 

	Analysis <sup>1</sup>	Analysis <sup>1</sup>	
	Analysis listed as percent by weight		
С	0.476	As	0.004
Mn	0.80	Са	0.0006
Р	0.012	Co	0.006
S	0.019	N	0.0085
Si	0.248	O	0.0010
Cu	0.148	Sn	0.008
Ni	0.061	Ti	0.002
Cr	0.100	V	0.007
Мо	0.020	Zr	0.002
Al	0.016	w	<0.002
Nb	0.001	В	<0.0002
Sb	<0.002	Mg	0.00020
Pb	<0.0007		

<sup>&</sup>lt;sup>1</sup> The above chemistry is supplied as an approximate guide to the composition and must not be regarded as the certified analysis. The analysis is based on the results of a Proficiency Testing Program. According to ASTM Standard Practice E 2027, the data from proficiency testing programs must never be used to assign certification values to the materials used in the program. This material may be used for instrument drift control. It must not be used for instrument calibration.

This material has been studied for homogeneity and was found to be suitable for use as a setting-up material.

Data Sheet Number 02G-052207