

BRAMMER STANDARD

www.brammerstandard.com - contact@brammerstandard.com
 14603 BENFER ROAD - HOUSTON, TX 77069 - USA
 ph 281-440-9396 - fx 281-440-4432

HIGH ALLOY STEEL

Part Number: **BS-HAS-12** Set of 12 0.27" (7 mm ±0.7 mm) THICK DISCS

Grade	Number	C	Mn	P	S	Si	Cu	Ni	Cr	Mo	Al	B	Co	N	Nb	Sn	Ti	V	W	Other
N08367	BS 189	0.030	0.26	0.014	0.0007	0.39	0.61	23.78	20.58	6.19	0.007	(0.0012)	0.047	0.208	0.023	(0.001)	(0.003)	0.092	(0.005)	
Alloy 255	BS 179A	0.017	1.04	0.021	0.001	0.44	1.94	5.84	25.45	3.24	(0.009)	(0.001)	0.58	0.184	0.030	0.005	0.006	0.070	(0.2)	
Greek Ascoloy	BS 183	0.16	0.43	0.020	0.013	0.33	0.068	2.00	12.81	0.35	----	----	0.029	----	(0.003)	(0.0016)	0.003	0.12	2.77*	
Invar 36	BS 186A	0.040	0.72	0.008	0.005	0.19	0.016	35.86	0.16	0.003	(0.001)	----	0.028	0.0026	<0.002	(0.002)	<0.003	0.001	<0.03	Se: 0.229
Carp. 20Cb3	BS 187A	0.022	0.52	0.017	0.0025	0.26	3.10	33.06	19.75	2.06	(0.009)	0.0022	0.32	0.0157	0.57	0.003	(0.002)	0.10	(0.02)	Ce: (0.025)
A-286	BS 188A	0.050	0.139	0.015	0.0049	0.15	0.099	24.61	14.04	1.10	0.19	0.0065	0.18	0.0029	0.050	0.002	2.21	0.24	0.055	
Nitronic® 40	BS 190	0.022	9.72	0.015	0.001	0.46	0.072	6.74	19.57	0.15	(0.004)	0.0005	0.044	0.255	(0.004)	0.003	0.002	0.11	0.015	O: 0.0045
Nitronic® 50	BS 180A	0.018	5.05	0.012	0.001	0.32	0.067	13.19	21.09	2.04	0.012	(0.0024)	0.039	0.334	0.20	(0.002)	(0.002)	0.20	0.02	O: 0.003
Nitronic® 60	BS 181A	0.071	8.16	0.019	0.001	4.03	0.18	8.15	16.52	0.21	0.022	0.0009	0.072	0.148	0.017	0.005	0.007	0.094	0.04	O: 0.0010
18Cr-12Mn	BS 193	0.104	12.11	0.018	0.002	0.66	0.088	1.82	18.48	0.21	(0.003)	0.0007	0.028	0.37	0.014	0.004	0.003	0.107	(0.007)	
17Cr-15Mn	BS 182	0.037	15.09	0.022	0.003	0.46	0.56	1.11	16.67	0.99	----	----	0.033	(0.40)	(0.005)	0.003	(0.003)	0.059	(0.01)	
16Cr-6Mn-4Si	BS 191	0.098	5.71	0.024	0.023	3.66	0.33	5.34	16.33	0.36	(0.002)	(0.0006)	0.11	0.117	0.024	(0.006)	0.012	0.083	0.033	O: 0.002

© Nitronic is a registered trademark of Armco Steel Company

* The tungsten value for BS 183 was revised on September 30, 1996.

Certificates of Analysis are supplied for each certified reference material listed in the set.